



QUALITY, RELIABILITY AND FOOD COMPATIBILITY

Evolis PVC cards are the ideal support for outstanding printouts. Their even and flat surface ensures flawless moves under the print head (minimizing the risk of damage) and printouts with vivid colors and well-defined barcodes. Evolis plastic cards support the requirements of the food industry.

ADVANTAGES

Using our cards allows a printing quality and a good readability of specific elements (texts, barcodes...). They are flexible but very resistant and solid.

Additionally, our PVC cards are dedicated to use in the food industry, they are ideal for price tag labelling (bakers, butchers, supermarkets, etc.).

Tested and validated by Evolis R&D and Quality departments, these consumables bring you printing quality and reliability.

GENERAL SPECIFICATIONS

Features:

- Cards in PVC – Blank Black – Matte finish
- Compliant with ISO CR-80 (ISO 7810) standards
- Dimension: 85.6 mm x 54 mm (3 3/8" x 2 1/8")
- Thickness: 0.76 mm / 30 mil
- Cards lifespan: 3 years (*minimum lifespan based on a credit card usage – high frequency*)

Compatibility and packaging

PART#	PACKAGE	ZENIUS/ PRIMACY	QUANTUM	PRIMACY LAMINATION/ SECURION	TATTOO/ PEBBLE/ DUALYS	EDIKIO ACCESS	EDIKIO FLEX	EDIKIO DUPLEX
C8001	5 boxes of 100 cards	•	•	•	•	•	•	•

Product Information

- PVC Cards
- Blank Black
- 30 mil

Storage Information:

The cards shall be capable of functioning for up to 2/3 years after purchase if stored in a cool, dry environment and having remained unopened from the original packaging. Temperature of storage must be between 5-40°C (41-104°F) and at RH between 10-60%. Once opened, avoid dust, direct sunlight, high humidity and high temperatures. Do not place near solvent or other chemicals.

INSTRUCTIONS FOR USE

In order to optimize the printing quality and card durability:

- Do not use cards that have been damaged, folded or dropped on the floor.
- Do not touch the printable surface of the cards in order to preserve print quality.
- Do not use in high temperature conditions. Do not place near heat sources or open flames (degradation above 60°C / 140°F). Avoid thermal shock.
- Avoid dishwasher and chemicals, wash your printed cards using clean cold water.